Author Index

Abe, K., see Yarita, T. 679(1994)329
Abu-Lafi, S., Sterin, M. and Levin, S.
Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47
Abu-Lafi, S., see Levin, S. 679(1994)213
Akiyama, A., see Straub, J.A. 679(1994)85
Allen, D.W., Clench, M.R., Crowson, A., Leathard, D.A. and Saklatvala, R.
Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285
Almquist, S.R., Petersson, P., Walther, W. and Markides, K.E.
Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
Beckers, J.L.
UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153
Belew, M., Zhou, Y., Wang, S., Nyström, L.-E. and Janson, J.-C.
Purification of recombinant human granulocyte–macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67
Betzel, C., see Weber, W. 679(1994)181
Blatný, P., Kvasnička, F. and Kenndler, E.
Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachophoresis 679(1994)345
Boček, P.
Electrophoresis in Practice—A Guide to Theory and Practice (by R. Westermeier) (Book Review) 679(1994)402
Boschetti, E., see Horvath, J. 679(1994)11
Botton, B., see Devêvre, O. 679(1994)349
Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123
Bryan, T.G., see Mourey, T.H. 679(1994)201
Caciari, M., see Bruno, T.J. 679(1994)123
Cai, J., see Hsieh, F.Y.L. 679(1994)206
Cao, X.-L., Hewitt, C.N. and Waterhouse, K.S.
Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
Chambers, J.Q., see Farkas, T. 679(1994)231
Chung, M.C.M., see Yao, Z.J. 679(1994)190
Cigánek, M., see Dressler, M. 679(1994)299
Clench, M.R., see Allen, D.W. 679(1994)285
Cleveland, J.A., Martin, C.L. and Gluck, S.J.
Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167
Cooke, N., see Horvath, J. 679(1994)11
Crowson, A., see Allen, D.W. 679(1994)285
Danielson, N.D., see Holeman, J.A. 679(1994)277
De Boer, A.J., see Mesters, J.R. 679(1994)93
Devêvre, O., Putra, D.P., Botton, B. and Garbaye, J.
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349
Dou, L., Zeng, J.-N., Gerochi, D.D., Duda, M.P. and Stuting, H.H.
Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367
Dressler, M. and Cigánek, M.
Effect of detector temperature on the flame ionization detector response 679(1994)299
Duda, M.P., see Dou, L. 679(1994)367
Dusbábek, F., see Šimek, P. 679(1994)195
Dzido, T.H. and Smolarz, H.D.
Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59
Engasser, J.-M., see Gaillard, I. 679(1994)261
Engelhardt, H.
Practical High-Performance Liquid Chromatography (by V.R. Meyer) (Book Review) 679(1994)212
Farkas, T., Chambers, J.Q. and Guiochon, G.
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
Feltl, L., see Koutek, B. 679(1994)307
Fick, M., see Gaillard, I. 679(1994)261
Fujimoto, Y., see Okamura, N. 679(1994)381
Furuya, K., see Inoue, H. 679(1994)99
Gaillard, I., Martial, A., Marc, A., Engasser, J.-M. and Fick, M.
Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261
Garbaye, J., see Devêvre, O. 679(1994)349
Gelpí, E.
Mass Spectrometry for the Characterization of Micro-organisms (edited by ACS) (Book Review) 679(1994)404
Gerochi, D.D., see Dou, L. 679(1994)367
Gluck, S.J., see Cleveland, J.A. 679(1994)167
Golshan-Shirazi, S., see Levin, S. 679(1994)213
Goto, M., see Shiosaki, A. 679(1994)1
Graf, A., see Grimm, R. 679(1994)173
Grimm, R., Graf, A. and Heiger, D.N.
Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173
Guerrier, L., see Horvath, J. 679(1994)11
Guiochon, G., see Farkas, T. 679(1994)231
Guiochon, G., see Levin, S. 679(1994)213
Günther, N., see Weber, W. 679(1994)181

Author Index

Abe, K., see Yarita, T. 679(1994)329
Abu-Lafi, S., Sterin, M. and Levin, S.
Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47
Abu-Lafi, S., see Levin, S. 679(1994)213
Akiyama, A., see Straub, J.A. 679(1994)85
Allen, D.W., Clench, M.R., Crowson, A., Leathard, D.A. and Saklatvala, R.
Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285
Almquist, S.R., Petersson, P., Walther, W. and Markides, K.E.
Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
Beckers, J.L.
UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153
Belew, M., Zhou, Y., Wang, S., Nyström, L.-E. and Janson, J.-C.
Purification of recombinant human granulocyte–macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67
Betzel, C., see Weber, W. 679(1994)181
Blatný, P., Kvasnička, F. and Kenndler, E.
Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachophoresis 679(1994)345
Boček, P.
Electrophoresis in Practice—A Guide to Theory and Practice (by R. Westermeier) (Book Review) 679(1994)402
Boschetti, E., see Horvath, J. 679(1994)11
Botton, B., see Devêvre, O. 679(1994)349
Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123
Bryan, T.G., see Mourey, T.H. 679(1994)201
Caciari, M., see Bruno, T.J. 679(1994)123
Cai, J., see Hsieh, F.Y.L. 679(1994)206
Cao, X.-L., Hewitt, C.N. and Waterhouse, K.S.
Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
Chambers, J.Q., see Farkas, T. 679(1994)231
Chung, M.C.M., see Yao, Z.J. 679(1994)190
Cigánek, M., see Dressler, M. 679(1994)299
Clench, M.R., see Allen, D.W. 679(1994)285
Cleveland, J.A., Martin, C.L. and Gluck, S.J.
Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167
Cooke, N., see Horvath, J. 679(1994)11
Crowson, A., see Allen, D.W. 679(1994)285
Danielson, N.D., see Holeman, J.A. 679(1994)277
De Boer, A.J., see Mesters, J.R. 679(1994)93
Devêvre, O., Putra, D.P., Botton, B. and Garbaye, J.
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349
Dou, L., Zeng, J.-N., Gerochi, D.D., Duda, M.P. and Stuting, H.H.
Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367
Dressler, M. and Cigánek, M.
Effect of detector temperature on the flame ionization detector response 679(1994)299
Duda, M.P., see Dou, L. 679(1994)367
Dusbábek, F., see Šimek, P. 679(1994)195
Dzido, T.H. and Smolarz, H.D.
Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59
Engasser, J.-M., see Gaillard, I. 679(1994)261
Engelhardt, H.
Practical High-Performance Liquid Chromatography (by V.R. Meyer) (Book Review) 679(1994)212
Farkas, T., Chambers, J.Q. and Guiochon, G.
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
Feltl, L., see Koutek, B. 679(1994)307
Fick, M., see Gaillard, I. 679(1994)261
Fujimoto, Y., see Okamura, N. 679(1994)381
Furuya, K., see Inoue, H. 679(1994)99
Gaillard, I., Martial, A., Marc, A., Engasser, J.-M. and Fick, M.
Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261
Garbaye, J., see Devêvre, O. 679(1994)349
Gelpí, E.
Mass Spectrometry for the Characterization of Micro-organisms (edited by ACS) (Book Review) 679(1994)404
Gerochi, D.D., see Dou, L. 679(1994)367
Gluck, S.J., see Cleveland, J.A. 679(1994)167
Golshan-Shirazi, S., see Levin, S. 679(1994)213
Goto, M., see Shiosaki, A. 679(1994)1
Graf, A., see Grimm, R. 679(1994)173
Grimm, R., Graf, A. and Heiger, D.N.
Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173
Guerrier, L., see Horvath, J. 679(1994)11
Guiochon, G., see Farkas, T. 679(1994)231
Guiochon, G., see Levin, S. 679(1994)213
Günther, N., see Weber, W. 679(1994)181

Hall, L.
Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397
Hansen, D.R., see Hills, J.W. 679(1994)319
Heiger, D.N., see Grimm, R. 679(1994)173
Henion, J., see Hsieh, F.Y.L. 679(1994)206
Hewitt, C.N., see Cao, X.-L. 679(1994)115
Hill, H.H., see Hills, J.W. 679(1994)319
Hills, J.W., Hill, H.H., Hansen, D.R. and Metcalf, S.G.
Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319
Hirose, T., see Shiosaki, A. 679(1994)1
Holeman, J.A. and Danielson, N.D.
Liquid chromatography of antihistamines using post-column tris(2,2′-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277
Horvath, J., Boschetti, E., Guerrier, L. and Cooke, N.
High-performance protein separations with novel strong ion exchangers 679(1994)11
Hoskovec, M., see Koutek, B. 679(1994)307
Hsieh, F.Y.L., Cai, J. and Henion, J.
Determination of trace impurities of peptides and alkaloids by capillary electrophoresis–ion spray mass spectrometry 679(1994)206
Husain, S., Narsimha, R., Khalid, S. and Nageswara Rao, R.
Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375
Inoue, H., Yamashita, H., Furuya, K., Nonomura, Y., Yoshioka, N. and Li, S.
Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99
Inoue, S. and Ohtaki, N.
Metaphosphates as packing materials for biochromatography 679(1994)247
Janson, J.-C., see Belew, M. 679(1994)67
Jegorov, A., see Šimek, P. 679(1994)195
Jiménez, A., see Vilaplana, J. 679(1994)133
Just, U., see Mellor, F. 679(1994)147
Kao, M.C.C., see Yao, Z.J. 679(1994)190
Kavanagh, P.E., see Shalliker, R.A. 679(1994)105
Kenndler, E., see Blatný, P. 679(1994)345
Khalid, S., see Husain, S. 679(1994)375
Konečný, K., see Koutek, B. 679(1994)307
Koutek, B., Hoskovec, M., Vrkočová, P., Konečný, K. and Feltl, L.
Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307
Kraal, B., see Mesters, J.R. 679(1994)93
Kuwabara, S., see Okamura, N. 679(1994)381
Kvasnička, F., see Blatný, P. 679(1994)345
Lameloise, M.-L. and Viard, V.
Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255
Leathard, D.A., see Allen, D.W. 679(1994)285
Levin, S., Abu-Lafi, S., Golshan-Shirazi, S. and Guiochon, G.
Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213
Levin, S., see Abu-Lafi, S. 679(1994)47
Li, S., see Inoue, H. 679(1994)99
Liu, Y., Yun, K.S. and Parcher, J.F.
Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392
Loh, K.C., see Yao, Z.J. 679(1994)190
López, J., see Vilaplana, J. 679(1994)133
MacEachern, G.J., see Mattina, M.J.I. 679(1994)269
Marc, A., see Gaillard, I. 679(1994)261
Markides, K.E., see Almquist, S.R. 679(1994)139
Marnitz, U., see Weber, W. 679(1994)181
Martial, A., see Gaillard, I. 679(1994)261
Martin, C.L., see Cleveland, J.A. 679(1994)167
Mattina, M.J.I. and MacEachern, G.J.
Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269
Mellor, F., Just, U. and Strumpf, Th.
Supercritical fluid extraction using a new restrictor design 679(1994)147
Mesters, J.R., Vorstenbosch, E.L.H., de Boer, A.J. and Kraal, B.
Complete purification of tRNA, charged or modified with hydrophobic groups, by reversed-phase high-performance liquid chromatography on a C_4/C_{18} column system 679(1994)93
Metcalf, S.G., see Hills, J.W. 679(1994)319
Miyano, S., see Oi, S. 679(1994)35
Moraes, N.M.P. and Shihomatsu, H.M.
Dynamic ion-exchange chromatography for the determination of lanthanides in rock standards 679(1994)387
Mourey, T.H. and Bryan, T.G.
Size-exclusion chromatography of nylons in methylene chloride–dichloroacetic acid 679(1994)201
Musso, G.F., see Straub, J.A. 679(1994)85
Nageswara Rao, R., see Husain, S. 679(1994)375
Narsimha, R., see Husain, S. 679(1994)375
Nomura, A., see Yarita, T. 679(1994)329
Nonomura, Y., see Inoue, H. 679(1994)99
Nyström, L.-E., see Belew, M. 679(1994)67
Ohtaki, N., see Inoue, S. 679(1994)247
Oi, S., Ono, H., Tanaka, H., Shijo, M. and Miyano, S.
Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
Okamura, N., Fujimoto, Y., Kuwabara, S. and Yagi, A.
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Ono, H., see Oi, S. 679(1994)35
Parcher, J.F., see Liu, Y. 679(1994)392
Parmar, P., see Straub, J.A. 679(1994)85
Petersson, P., see Almquist, S.R. 679(1994)139
Pirkle, W.H., see Schleimer, M. 679(1994)23
Putra, D.P., see Devêvre, O. 679(1994)349
Righetti, P.G., see Weber, W. 679(1994)181
Russell, I.M., see Shalliker, R.A. 679(1994)105
Saklatvala, R., see Allen, D.W. 679(1994)285
Schleimer, M., Pirkle, W.H. and Schurig, V.
Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
Schurig, V., see Schleimer, M. 679(1994)23
Shalliker, R.A., Kavanagh, P.E. and Russell, I.M.
Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105
Shihomatsu, H.M., see Moraes, N.M.P. 679(1994)387
Shijo, M., see Oi, S. 679(1994)35
Shiosaki, A., Goto, M. and Hirose, T.
Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1
Šimek, P., Jegorov, A. and Dusbábek, F.
Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195
Šlais, K.
Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335
Smolarz, H.D., see Dzido, T.H. 679(1994)59
Sterin, M., see Abu-Lafi, S. 679(1994)47
Straub, J.A., Akiyama, A., Parmar, P. and Musso, G.F.
Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85
Strumpf, Th., see Mellor, F. 679(1994)147
Stuting, H.H., see Dou, L. 679(1994)367
Takeshita, Y., see Yarita, T. 679(1994)329
Tanaka, H., see Oi, S. 679(1994)35
Tanaka, M., see Yoshinaga, M. 679(1994)359
Viard, V., see Lameloise, M.-L. 679(1994)255
Vilaplana, J., López, J. and Jiménez, A.
Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
Vorstenbosch, E.L.H., see Mesters, J.R. 679(1994)93
Vrkočová, P., see Koutek, B. 679(1994)307
Walther, W., see Almquist, S.R. 679(1994)139
Wang, S., see Belew, M. 679(1994)67
Waterhouse, K.S., see Cao, X.-L. 679(1994)115
Weber, W., Wenisch, E., Günther, N., Marnitz, U., Betzel, C. and Righetti, P.G.
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181
Wenisch, E., see Weber, W. 679(1994)181
Yagi, A., see Okamura, N. 679(1994)381
Yamashita, H., see Inoue, H. 679(1994)99
Yao, Z.J., Kao, M.C.C., Loh, K.C. and Chung, M.C.M.
Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190
Yarita, T., Nomura, A., Abe, K. and Takeshita, Y.
Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329
Yoshinaga, M. and Tanaka, M.
Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
Yoshioka, N., see Inoue, H. 679(1994)99
Yun, K.S., see Liu, Y. 679(1994)392
Zeng, J.-N., see Dou, L. 679(1994)367
Zhou, Y., see Belew, M. 679(1994)67